



Revision date: 6 May 2024 Version: 1 Print date: 6 May 2024

## Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH)

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Trade name/designation:

RAVENOL Diesel Cetane Booster

Article No.:

1390249

UFI:

S2C6-H66J-X1QD-JTDQ

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture:

Fuel additive

#### 1.3. Details of the supplier of the safety data sheet

Supplier (manufacturer/importer/only representative/downstream user/distributor):

Ravensberger Schmierstoffvertrieb GmbH

Produktsicherheit

Jöllenbecker Str. 2

33824 Werther

Germany

Telephone: +49 5203 9719 0

Telefax: +49 5203 9719 40

E-mail: kontakt@ravenol.de

Website: www.ravenol.de

E-mail (competent person): sdb@ravenol.de

#### 1.4. Emergency telephone number

24 hr. emergency phone number, 24h: +49 700 24 112 112 (Contract ID: RAV) / +1 872 5888271  
(Contract ID: RAV)

### SECTION 2: Hazards identification

#### 2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 [CLP]

Hazard classes and hazard categories	Hazard statements	Classification procedure
Aspiration hazard ( <i>Asp. Tox. 1</i> )	H304: May be fatal if swallowed and enters airways.	Calculation method.
Hazardous to the aquatic environment ( <i>Aquatic Chronic 3</i> )	H412: Harmful to aquatic life with long lasting effects.	Calculation method.

#### 2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms:



GHS08

Health hazard

Signal word: Danger



Revision date: 6 May 2024 Version: 1 Print date: 6 May 2024

**Hazard components for labelling:**

2-ethylhexyl nitrate; Hydrocarbons, C14-C18, n-alkanes, isoalkanes, cyclics, aromatics (2-30%)

Hazard statements for health hazards	
H304	May be fatal if swallowed and enters airways.

Hazard statements for environmental hazards	
H412	Harmful to aquatic life with long lasting effects.

**Supplemental hazard information:** none

Precautionary statements	
P102	Keep out of reach of children.

Precautionary statements Prevention	
P273	Avoid release to the environment.

Precautionary statements Response	
P301 + P310	IF SWALLOWED: Immediately call a POISON CENTER/doctor/Emergency telephone number.
P331	Do NOT induce vomiting.

Precautionary statements Storage	
P405	Store locked up.

Precautionary statements Disposal	
P501	Dispose of contents/container to an appropriate recycling or disposal facility.

**2.3. Other hazards**

**Other adverse effects:**

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

**SECTION 3: Composition/information on ingredients**

**3.2. Mixtures**

**Hazardous ingredients / Hazardous impurities / Stabilisers:**

Product identifiers	Substance name Classification according to Regulation (EC) No 1272/2008 [CLP]	Concentration
EC No.: 920-360-0 REACH No.: 01-2119448343-41-0000	<b>Hydrocarbons, C14-C18, n-alkanes, isoalkanes, cyclics, aromatics (2-30%)</b> Asp. Tox. 1 (H304) Danger	80 - < 100 weight-%
CAS No.: 27247-96-7 EC No.: 248-363-6 REACH No.: 01-2119539586-27	<b>2-ethylhexyl nitrate</b> Acute Tox. 4 (H302, H312, H332), Aquatic Chronic 2 (H411) Warning	10 - < 15 weight-%

Full text of H- and EUH-phrases: see section 16.

**SECTION 4: First aid measures**

**4.1. Description of first aid measures**

**General information:**

Never give anything by mouth to an unconscious person or a person with cramps. In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible). Remove victim out of the danger area. Remove contaminated, saturated clothing. If unconscious but breathing normally, place in recovery position and seek medical advice. Do not leave affected person unattended.

**Following inhalation:**

Remove person to fresh air and keep comfortable for breathing. When in doubt or if symptoms are observed, get medical advice.

**In case of skin contact:**

After contact with skin, wash immediately with plenty of water and soap. Take off immediately all contaminated clothing and wash it before reuse. When in doubt or if symptoms are observed, get medical advice.

**After eye contact:**

In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist. Remove contact lenses, if present and easy to do. Continue rinsing.



Revision date: 6 May 2024 Version: 1 Print date: 6 May 2024

**Following ingestion:**

Rinse mouth thoroughly with water. Observe risk of aspiration if vomiting occurs. Call a physician in any case!

**Self-protection of the first aider:**

Use personal protection equipment. No direct artificial respiration to be given by first aider.

**4.2. Most important symptoms and effects, both acute and delayed**

May be fatal if swallowed and enters airways.  
Harmful: may cause lung damage if swallowed.

**4.3. Indication of any immediate medical attention and special treatment needed**

Treat symptomatically. Call a POISON CENTER. Symptoms can occur only after several hours. Aspiration hazard

**SECTION 5: Firefighting measures**

**5.1. Extinguishing media**

**Suitable extinguishing media:**

Co-ordinate fire-fighting measures to the fire surroundings.  
Carbon dioxide (CO<sub>2</sub>)  
Extinguishing powder  
Water mist  
alcohol resistant foam  
Use water spray jet to protect personnel and to cool endangered containers.

**Unsuitable extinguishing media:**

Full water jet

**5.2. Special hazards arising from the substance or mixture**

Do not inhale explosion and combustion gases. Danger of suffocation in case of accumulation in lowlying or closed rooms.

**Hazardous combustion products:**

Nitrogen oxides (NO<sub>x</sub>) Carbon monoxide Carbon dioxide (CO<sub>2</sub>)  
During heating or in case of fire, toxic gases is possible.

**5.3. Advice for firefighters**

Do not inhale explosion and combustion gases. Move undamaged containers from immediate hazard area if it can be done safely. In case of fire: Wear self-contained breathing apparatus.

**5.4. Additional information**

Use water spray jet to protect personnel and to cool endangered containers.  
Suppress gases/vapours/mists with water spray jet.  
Fire class: B  
Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

**SECTION 6: Accidental release measures**

**6.1. Personal precautions, protective equipment and emergency procedures**

**6.1.1. For non-emergency personnel**

**Personal precautions:**

Use personal protection equipment.  
Do not breathe dust/fume/gas/mist/vapours/spray.  
Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.  
Avoid contact with eyes and skin.

**Protective equipment:**

Personal protection equipment: see section 8

**Emergency procedures:**

Eliminate all ignition sources if safe to do so. Remove persons to safety. Provide adequate ventilation.

**6.1.2. For emergency responders**

**Personal protection equipment:**

Use appropriate respiratory protection. Personal protection equipment: see section 8

**6.2. Environmental precautions**

Do not allow uncontrolled discharge of product into the environment. Danger of explosion. Prevent spread over a wide area (e.g. by containment or oil barriers). Do not allow to enter into surface water or drains. In case of gas escape or of entry into waterways, soil or drains, inform the responsible authorities.



Revision date: 6 May 2024 Version: 1 Print date: 6 May 2024

### 6.3. Methods and material for containment and cleaning up

#### For containment:

Suitable material for taking up: Sand, Kieselguhr, Universal binder, Chemical binding agents, containing acids  
Prevent spread over a wide area (e.g. by containment or oil barriers).

#### For cleaning up:

Remove from the water surface (e.g. skimming, sucking). Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).

#### Other information:

Treat the recovered material as prescribed in the section on waste disposal.

### 6.4. Reference to other sections

SECTION 7: Handling and storage  
SECTION 8: Exposure controls/personal protection  
SECTION 13: Disposal considerations

### 6.5. Additional information

Clear spills immediately. Use appropriate container to avoid environmental contamination.

## SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

#### Protective measures

##### Advices on safe handling:

Use only in well-ventilated areas. Do not breathe gas/fumes/vapour/spray.  
Wear personal protection equipment (refer to section 8).  
When using do not eat, drink, smoke, sniff. Wash hands before breaks and after work. Do not put any product-impregnated cleaning rags into your trouser pockets. Clear spills immediately. Use appropriate container to avoid environmental contamination.

##### Fire prevent measures:

Keep away from sources of ignition - No smoking. Take precautionary measures against static discharge.

##### Measures to prevent aerosol and dust generation:

See protective measures under point 7 and 8.

##### Environmental precautions:

Shafts and sewers must be protected from entry of the product.

##### Advices on general occupational hygiene

Minimum standard for preventive measures while handling with working materials are specified in the TRGS 500.

### 7.2. Conditions for safe storage, including any incompatibilities

#### Technical measures and storage conditions:

Keep container tightly closed. Keep locked up and out of reach of children. Keep only in original container.  
Keep in a cool, well-ventilated place. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

#### Packaging materials:

Keep/Store only in original container.

#### Requirements for storage rooms and vessels:

Shafts and sewers must be protected from entry of the product. Floors should be impervious, resistant to liquids and easy to clean.  
Keep only in the original container in a cool, well-ventilated place.  
Do not store at temperatures above 50°C.  
Take precautionary measures against static discharge.

#### Hints on storage assembly:

TRGS 510

Do not store together with: Oxidising agent, Pyrophoric or self-heating substances, Food and feedingstuffs

**Storage class (TRGS 510, Germany):** 10 - Combustible liquids that cannot be assigned to any of the above storage classes

#### Further information on storage conditions:

Observe technical data sheet. Store in a cool dry place.

### 7.3. Specific end use(s)

#### Recommendation:

Observe technical data sheet.



Revision date: 6 May 2024 Version: 1 Print date: 6 May 2024

## SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

#### 8.1.1. Occupational exposure limit values

Limit value type (country of origin)	Substance name	① Long-term occupational exposure limit value ② Short-term occupational exposure limit value ③ Instantaneous value ④ Monitoring and observation processes ⑤ Remark
PL	<b>2-ethylhexyl nitrate</b> CAS No.: 27247-96-7 EC No.: 248-363-6	① 3.5 mg/m <sup>3</sup> ② 7 mg/m <sup>3</sup>

#### 8.1.2. Biological limit values

No data available

#### 8.1.3. DNEL-/PNEC-values

Substance name	DNEL value	① DNEL type ② Exposure route
<b>2-ethylhexyl nitrate</b> CAS No.: 27247-96-7 EC No.: 248-363-6	0.35 mg/m <sup>3</sup>	① DNEL worker ② Long-term - inhalation, systemic effects
<b>2-ethylhexyl nitrate</b> CAS No.: 27247-96-7 EC No.: 248-363-6	1 mg/kg bw/day	① DNEL worker ② Long-term - dermal, systemic effects
<b>2-ethylhexyl nitrate</b> CAS No.: 27247-96-7 EC No.: 248-363-6	0.52 mg/kg bw/day	① DNEL Consumer ② Long-term - dermal, systemic effects
<b>2-ethylhexyl nitrate</b> CAS No.: 27247-96-7 EC No.: 248-363-6	0.025 mg/kg bw/day	① DNEL Consumer ② Long-term - oral, systemic effects

Substance name	PNEC Value	① PNEC type
<b>2-ethylhexyl nitrate</b> CAS No.: 27247-96-7 EC No.: 248-363-6	0.0008 mg/L	① PNEC aquatic, freshwater
<b>2-ethylhexyl nitrate</b> CAS No.: 27247-96-7 EC No.: 248-363-6	0.00008 mg/L	① PNEC aquatic, marine water
<b>2-ethylhexyl nitrate</b> CAS No.: 27247-96-7 EC No.: 248-363-6	10 mg/L	① PNEC sewage treatment plant
<b>2-ethylhexyl nitrate</b> CAS No.: 27247-96-7 EC No.: 248-363-6	0.00074 mg/kg	① PNEC sediment, freshwater
<b>2-ethylhexyl nitrate</b> CAS No.: 27247-96-7 EC No.: 248-363-6	0.00074 mg/kg	① PNEC sediment, marine water
<b>2-ethylhexyl nitrate</b> CAS No.: 27247-96-7 EC No.: 248-363-6	0.000191 mg/kg	① PNEC soil

### 8.2. Exposure controls

#### 8.2.1. Appropriate engineering controls

Avoid exposure. Do not breathe gas/fumes/vapour/spray.

#### 8.2.2. Personal protection equipment



##### Eye/face protection:

During transfer: Eye glasses with side protection  
 DIN-/EN-Norms EN 166



Revision date: 6 May 2024 Version: 1 Print date: 6 May 2024

**Skin protection:**

Hand protection

Suitable material: NBR (Nitrile rubber), FKM (fluoro rubber)

Thickness of the glove material:  $\geq 0,4$  mm

Breakthrough time: &gt;480 min

Breakthrough times and swelling properties of the material must be taken into consideration.

The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances.

Tested protective gloves must be worn: EN ISO 374

Suitable protective clothing: Protective clothing solvent-resistant like: EN 465

**Respiratory protection:**

Usually no personal respiratory protection necessary.

If technical exhaust or ventilation measures are not possible or insufficient, respiratory protection must be worn. Filtering device with filter or ventilator filtering device of type: AX

**Other protection measures:**

Wear suitable protective clothing. Take off immediately all contaminated clothing and wash it before reuse.

**8.2.3. Environmental exposure controls**

See section 7. No additional measures necessary.

**SECTION 9: Physical and chemical properties****9.1. Information on basic physical and chemical properties****Appearance****Physical state:** Liquid**Colour:** colourless**Odour:** characteristic**Safety relevant basis data**

Parameter	Value	at °C	① Method ② Remark
pH	<i>not applicable</i>		
Melting point	<i>No data available</i>		
Freezing point	-36 °C		
Initial boiling point and boiling range	<i>No data available</i>		
Flash point	104 °C		
Evaporation rate	<i>No data available</i>		
Auto-ignition temperature	<i>No data available</i>		
Upper/lower flammability or explosive limits	<i>No data available</i>		
Vapour pressure	<i>No data available</i>		
Vapour density	<i>No data available</i>		
Density	837 kg/m <sup>3</sup>	15 °C	
Bulk density	<i>not applicable</i>		
Water solubility	practically insoluble		
Dynamic viscosity	<i>No data available</i>		
Kinematic viscosity	2.5 mm <sup>2</sup> /s	40 °C	

**9.2. Other information**

[\P:4f4dc3bf8-4990-4d75-98f3-f10e3fffe7ec\](#)

**SECTION 10: Stability and reactivity****10.1. Reactivity**

The product is chemically stable under recommended conditions of storage, use and temperature.

**10.2. Chemical stability**

The product is stable under storage at normal ambient temperatures.

**10.3. Possibility of hazardous reactions**

No hazardous reaction when handled and stored according to provisions.



Revision date: 6 May 2024 Version: 1 Print date: 6 May 2024

#### 10.4. Conditions to avoid

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Take precautionary measures against static discharge.

#### 10.5. Incompatible materials

Oxidizing agent, Pyrophoric or self-heating substances  
Strong acid  
Alkali (lye), concentrated

#### 10.6. Hazardous decomposition products

Hazardous combustion products: Carbon monoxide, Carbon dioxide (CO<sub>2</sub>), Nitrogen oxides (NO<sub>x</sub>)  
During heating or in case of fire, toxic gases is possible.  
Do not inhale explosion and combustion gases. Danger of suffocation in case of accumulation in lowlying or closed rooms.

#### Further information

Do not mix with other chemicals.

### SECTION 11: Toxicological information

#### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

<b>Hydrocarbons, C14-C18, n-alkanes, isoalkanes, cyclics, aromatics (2-30%)</b> EC No.: 920-360-0
<b>LD<sub>50</sub> oral:</b> >4,150 mg/kg (Rat)
<b>LD<sub>50</sub> dermal:</b> >2,000 mg/kg (Rabbit)
<b>LC<sub>50</sub> Acute inhalation toxicity (dust/mist):</b> >5.28 mg/L 4 h (Rat)
<b>2-ethylhexyl nitrate</b> CAS No.: 27247-96-7 EC No.: 248-363-6
<b>ATE inhalativ Dämpfe:</b> 1.5 mg/L
<b>LD<sub>50</sub> oral:</b> >9,640 mg/kg (Rat)
<b>LD<sub>50</sub> dermal:</b> >4,820 mg/kg (Rabbit)
<b>LC<sub>50</sub> Acute inhalation toxicity (vapour):</b> 11 mg/L (Rat)

#### Acute oral toxicity:

Based on available data, the classification criteria are not met.

#### Acute dermal toxicity:

Based on available data, the classification criteria are not met.

#### Acute inhalation toxicity:

Based on available data, the classification criteria are not met.

#### Skin corrosion/irritation:

Based on available data, the classification criteria are not met.

#### Serious eye damage/irritation:

Based on available data, the classification criteria are not met.

#### Respiratory or skin sensitisation:

Based on available data, the classification criteria are not met.

#### Germ cell mutagenicity:

Based on available data, the classification criteria are not met.

#### Carcinogenicity:

Based on available data, the classification criteria are not met.

#### Reproductive toxicity:

Based on available data, the classification criteria are not met.

#### STOT-single exposure:

Based on available data, the classification criteria are not met.

#### STOT-repeated exposure:

Based on available data, the classification criteria are not met.

#### Aspiration hazard:

May be fatal if swallowed and enters airways.

Observe risk of aspiration if vomiting occurs.

For viscosity data, see section 9.

#### Additional information:

Frequently or prolonged contact with skin may cause dermal irritation.



Revision date: 6 May 2024 Version: 1 Print date: 6 May 2024

## 11.2. Information on other hazards

### Endocrine disrupting properties:

This product does not contain a substance that has endocrine disrupting properties with respect to humans as no components meets the criteria.

### Other information:

No data available.

## SECTION 12: Ecological information

### 12.1. Toxicity

<b>Hydrocarbons, C14-C18, n-alkanes, isoalkanes, cyclics, aromatics (2-30%)</b> EC No.: 920-360-0
<b>LC<sub>50</sub>:</b> >1,000 mg/L 4 d (fish)
<b>EC<sub>50</sub>:</b> >1,000 mg/L 2 d (crustaceans, Daphnia magna (Big water flea))
<b>NOEC:</b> >5,000 mg/L 21 d (fish, fish)
<b>NOEC:</b> >1,400 mg/L 21 d (crustaceans, Daphnia magna (Big water flea))
<b>2-ethylhexyl nitrate</b> CAS No.: 27247-96-7 EC No.: 248-363-6
<b>LC<sub>50</sub>:</b> 2 mg/L 4 d (fish, Danio rerio (zebrafish)) Study Report (2010)
<b>LC<sub>50</sub>:</b> 2 mg/L 4 d (fish, Danio rerio (zebrafish)) OECD 203
<b>EC<sub>50</sub>:</b> >12.6 mg/L 2 d (crustaceans, Daphnia magna (Big water flea)) Study Report (1998)
<b>EC<sub>50</sub>:</b> >10 mg/L (Algae/water plant)
<b>EC<sub>50</sub>:</b> 10 mg/L 2 d (crustaceans, Daphnia magna (Big water flea)) OECD 202
<b>ErC<sub>50</sub>:</b> >12.6 mg/L 3 d (Algae/water plant, Pseudokirchneriella subcapitata) Study Report (1998)
<b>ErC<sub>50</sub>:</b> 1 - 10 mg/L (fish)
<b>ErC<sub>50</sub>:</b> >1 - 10 mg/L 3 d (Algae/water plant) OECD 201

### Aquatic toxicity:

Harmful to aquatic life with long lasting effects.

### Additional ecotoxicological information:

Do not allow uncontrolled discharge of product into the environment.

### 12.2. Persistence and degradability

<b>Hydrocarbons, C14-C18, n-alkanes, isoalkanes, cyclics, aromatics (2-30%)</b> EC No.: 920-360-0
<b>Biodegradation:</b> Yes, rapidly
<b>Remark:</b> OECD 301F 60,7% 28d (ECHA Dossier)
<b>2-ethylhexyl nitrate</b> CAS No.: 27247-96-7 EC No.: 248-363-6
<b>Biodegradation:</b> Poorly biodegradable.

### Biodegradation:

Not readily biodegradable (according to OECD criteria)

### 12.3. Bioaccumulative potential

<b>Hydrocarbons, C14-C18, n-alkanes, isoalkanes, cyclics, aromatics (2-30%)</b> EC No.: 920-360-0
<b>Log K<sub>OW</sub>:</b> 3.5
<b>2-ethylhexyl nitrate</b> CAS No.: 27247-96-7 EC No.: 248-363-6
<b>Log K<sub>OW</sub>:</b> 5.24
<b>Bioconcentration factor (BCF):</b> 1,332

### Accumulation / Evaluation:

The product has not been tested.

### 12.4. Mobility in soil

The product has not been tested.

### 12.5. Results of PBT and vPvB assessment

<b>Hydrocarbons, C14-C18, n-alkanes, isoalkanes, cyclics, aromatics (2-30%)</b> EC No.: 920-360-0
<b>Results of PBT and vPvB assessment:</b> This substance does not meet the PBT/vPvB criteria of REACH, Annex XIII.
<b>2-ethylhexyl nitrate</b> CAS No.: 27247-96-7 EC No.: 248-363-6
<b>Results of PBT and vPvB assessment:</b> This substance does not meet the PBT/vPvB criteria of REACH, Annex XIII.

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.



Revision date: 6 May 2024 Version: 1 Print date: 6 May 2024

**12.6. Endocrine disrupting properties**

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

**12.7. Other adverse effects**

No data available.

**SECTION 13: Disposal considerations**

**13.1. Waste treatment methods**

Dispose of waste according to applicable legislation.

**13.1.1. Product/Packaging disposal**

**Waste codes/waste designations according to EWC/AVV Directive 2008/98/EC (Waste Framework Directive)**

HP 5	Specific Target Organ Toxicity (STOT)/Aspiration Toxicity
HP 14	Ecotoxic

**Waste code packaging**

**Remark:**

Dispose of waste according to applicable legislation.

**Waste treatment options**

**Appropriate disposal / Product:**

Dispose of waste according to applicable legislation.

**Appropriate disposal / Package:**

Non-contaminated packages may be recycled.

**Other disposal recommendations:**

Consult the appropriate local waste disposal expert about waste disposal.

**13.2. Additional information**

The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.

**SECTION 14: Transport information**

Land transport (ADR/RID)	Inland waterway craft (ADN)	Sea transport (IMDG)	Air transport (ICAO-TI / IATA-DGR)
<b>14.1. UN number or ID number</b>			
No dangerous good in sense of these transport regulations.	No dangerous good in sense of these transport regulations.	No dangerous good in sense of these transport regulations.	No dangerous good in sense of these transport regulations.
<b>14.2. UN proper shipping name</b>			
No dangerous good in sense of these transport regulations.	No dangerous good in sense of these transport regulations.	No dangerous good in sense of these transport regulations.	No dangerous good in sense of these transport regulations.
<b>14.3. Transport hazard class(es)</b>			
not relevant	not relevant	not relevant	not relevant
<b>14.4. Packing group</b>			
not relevant	not relevant	not relevant	not relevant
<b>14.5. Environmental hazards</b>			
not relevant	not relevant	not relevant	not relevant
<b>14.6. Special precautions for user</b>			
not relevant	not relevant	not relevant	not relevant

**14.7. Maritime transport in bulk according to IMO instruments**

No transport as bulk according to IBC Code.



Revision date: 6 May 2024 Version: 1 Print date: 6 May 2024

## SECTION 15: Regulatory information

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### 15.1.1. EU legislation

##### Restrictions on use:

Use restriction according to REACH annex XVII, no.: 3

##### Other regulations (EU):

This product is not assigned to a hazard category.

#### 15.1.2. National regulations

##### [DE] National regulations

##### Restrictions of occupation

Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers. Observe restrictions to employment for juveniles according to the 'juvenile work protection guideline' (94/33/EC).

##### Annex Chemikalien-Verbotsverordnung (ChemVerbotsV)

Not applicable

##### Störfallverordnung (12. BlmschV)

##### for substances contained in the product:

This product is not assigned to a hazard category.

##### Technische Anleitung zur Reinhaltung der Luft (TA-Luft)

##### Remark:

To follow: 5.2.5

##### Water hazard class

##### WGK:

2 - obviously hazardous to water

##### Source:

Self-classification (mixture; calculation rule).

##### Technische Regeln für Gefahrstoffe

TRGS 500

TRGS 510

##### Berufsgenossenschaftliche Vorschriften (DGUV-Vorschriften)

To follow: Berufsgenossenschaftliche Informationen (DGUV-Informationen) 868

Berufsgenossenschaftliche Regeln (DGUV-Regeln) 189, 190, 192, 195

##### [CH] National regulations

##### Water hazard class

Klasse A

##### Other regulations, restrictions and prohibition regulations

Chemical Risk Reduction Ordinance (ChemRRV): not listed

Substances according to Annex XIV VO (EC) No 1907/2006: not listed

PIC-VO Switzerland: not listed

Switzerland Incident Ordinance: not applicable

VOC Regulation: 2710.1299

The cantonal laws and regulations must be observed.

##### [SK] National regulations

##### Other regulations, restrictions and prohibition regulations

Zákon č. 67/2010 Z.z., o podmienkach uvedenia chemických látok a chemických zmesí na trh a o zmene a doplnení niektorých zákonov (chemický zákon).

Zákon č. 124/2006 Z. z. o bezpečnosti a ochrane zdravia pri práci a o zmene a doplnení niektorých zákonov.

Zákon NR SR č. 355/2007 Z.z., o ochrane, podpore a rozvoji verejného zdravia a o zmene a doplnení niektorých zákonov, v znení neskorších predpisov.

Nariadenie vlády SR 471/2011 Z.z., ktorým sa mení nariadenie vlády Slovenskej republiky č. 355/2006 Z. z. o ochrane zamestnancov pred rizikami súvisiacimi s expozíciou chemickým faktorom pri práci, Príloha č.1.

Zákon č. 79/2015 Z.z. o odpadoch v znení neskorších predpisov.

Vyhláška MV SR č. 96/2004 Z.z., ktorou sa ustanovujú zásady protipožiarnej bezpečnosti pri manipulácii a skladovaní horľavých kvapalín, ťažkých vykurovacích olejov a rastlinných a živočíšnych tukov a olejov.

Zákon NR SR č. 137/2010 Z.z. o ovzduší v znení neskorších predpisov.



Revision date: 6 May 2024 Version: 1 Print date: 6 May 2024

Zákon č. 319/2013 Z.z. o pôsobnosti orgánov štátnej správy pre sprístupňovanie biocídnych výrobkov na trh a ich používanie a o zmene a doplnení niektorých zákonov (biocídny zákon).

## 15.2. Chemical Safety Assessment

Chemical safety assessments for substances in this mixture were not carried out.

## 15.3. Additional information

Tactile warning according to EN/ISO 11683. Child-resistant fastenings (EN/862/ISO 8317).

## SECTION 16: Other information

### 16.1. Indication of changes

[P:4fdc3bf8-4990-4d75-98f3-f10e3fffe7ec](#)

### 16.2. Abbreviations and acronyms

ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road
BCF	Bioconcentration Factor
CAS	Chemical Abstracts Service
CLP	Classification, Labelling and Packaging
DIN	German Institute for Standardization / German Industrial Standard
DNEL	derived no-effect level
EC <sub>50</sub>	Effective Concentration 50%
ECHA	European Chemicals Agency
EN	European Standard
EWC	European Waste Catalogue
IBC	Intermediate Bulk Container
ICAO	International Civil Aviation Organization
IMDG	International Maritime Dangerous Goods
IMO	International Maritime Organization
ISO	International Standards Organisation
KG	body weight
LC <sub>50</sub>	Lethal (fatal) Concentration 50%
LD <sub>50</sub>	Lethal (fatal) Dose 50%
NFPA	National Fire Protection Association
NOEC	No Observed Effect Concentration
OECD	Organisation for Economic Cooperation and Development
PBT	persistent and bioaccumulative and toxic
PNEC	Predicted No Effect Concentration
REACH	Registration, Evaluation and Authorization of Chemicals
RID	Dangerous goods regulations for transport by rail
TRGS	Technische Regeln für Gefahrstoffe
UN	United Nations

For abbreviations and acronyms, see: ECHA Guidance on information requirements and chemical safety assessment, chapter R.20 (Table of terms and abbreviations).

See overview table at [www.euphrac.eu](http://www.euphrac.eu)

### 16.3. Key literature references and sources for data

EC 1907/2006 - REACH Regulation  
1272/2008 EC - Regulation on classification, labeling and packaging of substances and mixtures, and amending Directives 67/548/EEC and 1999/45/EC and Regulation (EC) No 1907/2006  
Regulation (EC) No 1907/2006 (REACH), Annex II  
European Chemicals Agency (ECHA), C & L classification and labeling inventory  
European Chemicals Agency (ECHA), ECHA CHEM Registered substances  
OECD The Global Portal to Information on Chemical Substances (ChemPortal)  
Institute for Occupational Safety and Health of the German Social Accident Insurance (IFA): GESTIS substance database and International limit values for chemical substances  
Federal Environment Agency, Section IV 2.4: Documentation and Information Centre substances hazardous to water Rigoletto (catalog substances hazardous to water)



Revision date: 6 May 2024 Version: 1 Print date: 6 May 2024

**16.4. Classification for mixtures and used evaluation method according to regulation (EC) No 1272/2008 [CLP]**

Hazard classes and hazard categories	Hazard statements	Classification procedure
Aspiration hazard ( <i>Asp. Tox. 1</i> )	H304: May be fatal if swallowed and enters airways.	Calculation method.
Hazardous to the aquatic environment ( <i>Aquatic Chronic 3</i> )	H412: Harmful to aquatic life with long lasting effects.	Calculation method.

**16.5. List of relevant hazard statements and/or precautionary statements from sections 2 to 15**

Hazard statements	
H302	Harmful if swallowed.
H304	May be fatal if swallowed and enters airways.
H312	Harmful in contact with skin.
H332	Harmful if inhaled.
H411	Toxic to aquatic life with long lasting effects.

**16.6. Training advice**

No data available

**16.7. Additional information**

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.